

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

63-3-6



6-90-63-16

**AUTOMATIC PATTERN RECOGNITION  
DURING THE PERIOD 1961-1962:  
AN ANNOTATED BIBLIOGRAPHY**



**SPECIAL BIBLIOGRAPHY  
SB-63-13**

**MAY 1963**

406279

406 279

6-90-63-16

**AUTOMATIC PATTERN RECOGNITION  
DURING THE PERIOD 1961-1962:  
AN ANNOTATED BIBLIOGRAPHY**

Compiled by  
Eugene E. Graziano

SPECIAL BIBLIOGRAPHY  
SB-63-13

**MAY 1963**

---

Work done in support of LMSC Independent Research Program

*Lockheed*

**MISSILES & SPACE COMPANY**

A GROUP DIVISION OF LOCKHEED AIRCRAFT CORPORATION

SUNNYVALE, CALIFORNIA

### **NOTICE**

DISTRIBUTION OF THIS REPORT TO OTHERS SHALL NOT BE CONSTRUED AS GRANTING OR IMPLYING A LICENSE TO MAKE, USE, OR SELL ANY INVENTION DESCRIBED HEREIN UPON WHICH A PATENT HAS BEEN GRANTED OR A PATENT APPLICATION FILED BY LOCKHEED AIRCRAFT CORPORATION. NO LIABILITY IS ASSUMED BY LOCKHEED AS TO INFRINGEMENT OF PATENTS OWNED BY OTHERS.

QUALIFIED DOD OR NASA REQUESTERS MAY OBTAIN A COPY OF THIS BIBLIOGRAPHY FROM THE DEFENSE DOCUMENTATION CENTER (FORMERLY ASTIA) OR THE OFFICE OF SCIENTIFIC AND TECHNICAL INFORMATION, NASA, RESPECTIVELY.

THIS BIBLIOGRAPHY IS ALSO AVAILABLE ON PURCHASE FROM OTS.

ABSTRACT

One hundred and forty references on all aspects of automatic pattern recognition for the period 1961-1962. Included are references pertaining to theory and experience with systems, components, methods, optics, speech, etc.

The period covered in the search was January 1961 - December 1962.

Search was completed in January 1963

CONTENTS

Abstract . . . . .	iii
Contents . . . . .	v
References . . . . .	1
Catchword subject index . . . . .	34

1. Alt, F. L.  
Digital pattern recognition by moments.  
J. ASSN. COMPUTING MCHY. 9: 240-258,  
April 1962

On a means of pattern recognition, based on the consideration of a pattern as a function of two variables that relate to "black" and "white." Experimental results are given, connected with the use of SEAC and an IBM 704.

2. Andrews, M. C.  
Word recognition systems. IBM TECHNICAL  
DISCLOSURE BULL. 4: 15, March 1962.

On the identification of incorrectly spelled words by probability.

3. Bakis, R.  
Formant tracking. IBM TECHNICAL DISCLOSURE  
BULL. 5: 72, June 1962.

Description of a circuit for formant tracking in speech recognition.

4. Bakis, R.  
Frequency measuring. IBM TECHNICAL  
DISCLOSURE BULL. 5: 73, June 1962.

An improved circuit for learning formant frequencies in speech recognition.

5. Bakis, R.  
Interpretation of speech sound sequences.  
IBM TECHNICAL DISCLOSURE BULL. 4:26  
Sept 1961.

Sound sequences should be stored rather than words in devices for speech recognition.

6. Ball, G. H.  
AN APPLICATION OF INTEGRAL GEOMETRY  
OF PATTERN RECOGNITION. Stanford Research  
Inst., Menlo Park, Calif. Final rept., Feb. 62,  
109p. (Contract Nonr-343800) ASTIA AD-275 352.

A machine for recognizing patterns may be considered to consist of a receptor and a categorizer. The receptor views the pattern and translates its features into machine language. The categorizer classifies the pattern using the information supplied to it by the receptor. In this paper information extracted from a visual pattern by receptor is required to be invariant with respect to the rotation and the translation (and at times, scale changes) of the pattern. We thereby obtain numerical parameters from the pattern that corresponds to the shape of the pattern. Integral geometry is employed to obtain these variant parameters. Probabilities of error are found as a function of the number of pattern measurements which are used to estimate a parameter. The numerical values of some parameters are obtained for the set of patterns consisting of circles, squares, rectangles, ellipses and right isosceles triangles. In addition, decision theory is used to obtain the structure of the test having minimum probability of error.

7. Baskin, H.  
Autocorrelation function generator. IBM  
TECHNICAL DISCLOSURE BULL. 4: 68,  
Aug. 1961.

Short report of the use of a rotating roster scanning system for generating the autocorrelation function of a two-dimensional pattern.

8. Bauldreay, J. and E. Milbradt  
Solving registration problems in optical character recognition. ELECTRONICS 35: 77-81,  
January 1962.

Imperfections in vertical registration of characters are rectified by a transistorized vertical locator. The design of this device is described.

9. Bauman, D. M., et al  
CHARACTER RECOGNITION AND PHOTOMEMORY  
STORAGE DEVICES FEASIBILITY STUDY. Dynamic  
Analysis and Control Lab., Mass. Inst. of Tech.



- 9 (cont'd) Cambridge. Second Summary Rept. RM-7692-3,  
1960, 78p. (Nonr 1841(41) PB 147787. ASTIA  
AD-237 108.

Feasibility study for a high-speed photoelectric scanner of printed material that will encode same into digital form.

10. Bell Telephone Labs., Inc.  
CHARACTER RECOGNITION SYSTEM.  
U.S.P. 2978675, 4 April 1961

A system of pattern recognition based on the scanning of predefined portions of matrix areas.

11. Betts, A. J.  
RECOGNITION OF HANDWRITTEN CHARACTERS.  
British Patent 860254, 1 Feb 1961.

Concerns a means of forming composite signals from handwritten elements for recognition purposes.

12. Bledsoe, W. W.  
Further results on the N-tuple pattern recognition method.  
IRE TRANS. ELECTRONIC COMPUTERS, EC-10:96,  
March 1961.

A letter that briefly reports extensions of certain pattern recognition methods.

13. Bledsoe, W. W. and C. L. Bisson  
Improved memory matrices for the n-tuple pattern  
recognition method. IRE TRANS. ELECTRONIC  
COMPUTERS, EC-11:414-415, June 1962.

Improvements are reported in the memory matrices of the n-tuple pattern recognition method that consist of selecting more optimum matrices than the 0, 1 type.

14. Blood, R. M.  
INDUCTIVE PROCESSES FOR FACTOR SELECTION IN A RECOGNITION MODEL. Vitro Labs.,  
West Orange, 1961, 35p. (Contract AF 19(604)6626),  
ASTIA AD-270-013.

Given a set of measured characteristics for an unknown object, it is desired to assign this object to a class. A theoretical model and its application show that the requirements for a set of parameters to be used as inputs are not as rigid as originally assumed. It is shown that a less-qualified set of measured inputs can be used to induce an expanded set which combines both natural (measured) and artificial parameters. The expanded set allows the effective definition of a recognition function regardless of whether or not the original measurements encoded are sufficient in themselves to provide the completed recognition model.

15. Bonner, R. E.  
A "logical pattern" recognition program. IBM  
J. RES. & DEV., 6: 353-360, July 1962.

An IBM 7090 program is described for searching out logical patterns from sets of input data.

16. Brain, A. E. and G. E. Forsen  
GRAPHICAL DATA PROCESSING RESEARCH  
STUDY AND EXPERIMENTAL INVESTIGATION.  
Stanford Research Inst., Menlo Park, Calif.  
Quarterly Prog. Rept. No. 7, 1 Dec 61 - 28 Feb 62,  
34p. March 1962. (DA 36-039-sc-78343, Proj.  
3A99-22-001-02) ASTIA AD-275 836.

Various means are considered for translating various signals to electrical forms for pattern recognition.

17. Brain, A.E., G. E. Forsen, and C. P. Bowne  
GRAPHICAL DATA PROCESSING RESEARCH  
STUDY AND EXPERIMENTAL INVESTIGATION.  
Stanford Research Inst., Menlo Park, Calif. Quarterly

17. (contd) Progress rept. no. 5, 1 Apr - 3 June 1961, 46p.  
July 1961. (DA 36-039-sc-78343) ASTIA AD-263 117

A binary decision unit is discussed which is capable of classifying patterns of certain types.

18. Brain, A. E., et al.  
GRAPHICAL DATA PROCESSING RESEARCH  
STUDY AND EXPERIMENTAL INVESTIGATION.  
Stanford Research Institute, Menlo Park, Calif.  
Quarterly progress rept. no. 3, 1 Oct - 31 Dec 1960,  
Jan 1961, 39p. (DA 36-039-sc-78343) ASTIA  
AD-253 334.

An investigation of photographic and equivalent electronic methods for simplification of data input.

19. Brain, A. E., et al.  
GRAPHICAL DATA PROCESSING RESEARCH  
STUDY AND EXPERIMENTAL INVESTIGATION.  
Stanford Research Institute, Menlo Park, Calif.  
Quarterly progress rept. no. 6, 1 July - 31 Dec  
1961, 63p. (DA 36-039-sc-78343 , Proj. 3A99-  
22-001-02) ASTIA AD-273 440.

A discussion of the ability of learning machines to be trained.

20. Brain, A. E.; A. B. Novikoff, and C. P. Bourne  
GRAPHICAL DATA PROCESSING RESEARCH STUDY  
AND EXPERIMENTAL INVESTIGATION. Stanford  
Research Institute, Menlo Park, Calif. Quarterly  
progress rept. no. 4, 1 Jan - 31 March 1961.  
April 1961, 40p. (DA 36-039-sc-78343, Proj.  
3A99-22-001-02) ASTIA AD-257 307.

On the design of a small pattern recognition machine.

21. Braverman, D.  
Learning filters for optimum pattern recognition.  
IRE TRANS. INFORMATION THEORY, IT-8: 280-285.  
July 1962

A system for identifying pattern samples which are the sum of a fixed signal and gaussian noise.

22. Braverman, D. J.  
MACHINE LEARNING AND AUTOMATIC PATTERN  
RECOGNITION. Stanford Electronics Labs., Stan-  
ford Univ., Stanford, Calif., Tech. rept. 2003-1. 83p  
17 Feb 1961. (Nonr-22524, Proj. NR 373 360)  
ASTIA AD-253 925.

On the optimum decision rules for identifying an object by the least number of its significant characteristics.

23. Braverman, E. M.  
Experiments on training machine to distinguish  
visual shapes. AUTOMATIKA I TELEMEXHANIKA,  
23(3): 349-364, 1962. (In Russian, English  
summary).

An algorithm for training a machine to differentiate visible forms. Experimental results are given.

24. Buell, D. N.  
Chrysler Optical Processing Scanner  
(COPS): a character recognition system which is  
independent of character, translation, size or  
orientation. IN EASTERN JOINT COMPUTER  
CONFERENCE, 1961. PROCEEDINGS, N. Y.  
Amer. Inst. of Elect. Eng. 1961, P. 352-370.

Description of COPS, an optical recognition system incorporating a simple computer.

25. Burroughs Corporation  
VOLTAGE COMPARATOR FOR USE IN CHARACTER  
RECOGNITION. U.S.P. 2987629, 6 June 1961.

A transistorized circuit for identifying maximum and minimum potentials that relate to different characters of an entity.

26. Cameron, Scott H.  
SELF ORGANIZING NETWORKS. Armour  
Research Foundation, Chicago. Annual rept.  
15 Feb 61 - 14 Feb 62. 15p. 14 Feb 1962.  
(Nonr-339200, Proj. NR 048-165). ASTIA  
AD-273 536.

Preliminary considerations on a simple optical device for achieving complex adaptive logical networks for use in pattern recognition.

27. Carter, W. S.  
Optical character recognition. DATA PROCESS-  
ING 3: 7-10, Jan 1961.

A survey of pattern recognition philosophy and technology.

28. Clavier, P. A.  
Self-educating machines for recognition and  
classification of patterns. PROC. IRE. 49: 1335  
Aug. 1961.

Letter on a simple machine that will learn to classify patterns.

29. Clowes, M. B. and J. R. Parks  
A new technique in automatic character  
recognition. COMPUTER J., 4: 121-128,  
July 1961.

Several lines are discussed concerning the use of autocorrelation functions for character recognition.

30. Computer helps make machine for blind.  
ELECTRONICS 34: 26-27; July 1961.

An IBM 650 digital computer is used to simulate the action of photocells in the development of a reading machine for the blind.

31. Cooper, P. W.  
CLASSIFICATION BY STATISTICAL METHODS  
(PATTERN RECOGNITION). Melpar, Inc.,  
Watertown, Mass. Technical note no. 61-2,  
53p. Apr 1961.

Mathematical methods which use decision theoretic methods of classification, and learning through parameter estimation, form the foundation for this discussion. Specific solutions are outlined for multivariate normal distributions. This is followed with a brief commentary on the potential contribution from the field of nonparametric statistics. The analysis concludes with a list of potential applications.

32. David, E. E. and O. G. Selfridge  
Eyes and ears for computers. PROC. IRE.  
50: 1093-1101, May 1962.

Review of developments in character and speech recognition for computer input.

33. DeJong, J. H.  
Optical scanning equipment. DATA PROCESS-  
ING 3: 11-12, Jan 1961.

Survey of equipment available commercially for optical scanning.

34. Dersch, W. C.  
SHOEBOX - a voice responsive machine.  
DATAMATION, 8: 47-50, June 1962.

SHOEBOX is an experimental device from IBM which is capable of identifying speech sounds.

35. Doyle, W.  
Operations useful for similarity-invariant  
pattern recognition. J. ASSN. COMPUTING  
MCHY., 9: 259-267, April 1962

Some ideas are discussed relating to position and size invariant two dimensional pattern recognition.

36. Eden, M.  
Handwriting and pattern recognition.  
IRE TRANS. INFORMATION THEORY. IT-8:  
160-166, Feb 1962.

Handwriting is defined as a sequence of basic strokes, connected by rule. Samples have been generated experimentally by the TX-0 computer, and implications for pattern recognition are discussed.

37. Farrington Electronics, Inc.  
SYSTEMS RESEARCH STUDY ON OPTICAL  
CHARACTER RECOGNITION. Research rept.  
Feb 1961, 20p. (Nonr - 316200) ASTIA AD-  
259 492.

A feasibility study for using optical scanning techniques for converting printed characters into suitable form for input to data processing machines.

38. Feigenbaum, E. A.  
The simulation of verbal learning behavior.  
IN WESTERN JOINT COMPUTER CONFERENCE  
1961, PROC. New York, 1961, p. 121-32.

Elementary perceiver and memorizer (EPAM) is a program that simulates the learning processes involved in the rote memorization of nonsense syllables.

39. Fischer, G. L.  
Optical scanning in the field. DATA PROCESSING 4: 15-17, July 1962.

Stroke analysis in character recognition is the practical approach as verified by various experiences.

40. Fischer, G. L., et al.  
OPTICAL CHARACTER RECOGNITION.  
Washington, Sparten Books, 1962, 412p.  
(Proceedings of a symposium on optical character recognition held in Washington, D. C., on 15-17 1962, under the joint sponsorship of the Office of Naval Research and the National Bureau of Standards).

Explores the state-of-the-art, and the outlook.

41. Fischler, M., et al.  
AN APPROACH TO GENERAL PATTERN RECOGNITION. Lockheed Aircraft Corp., Sunnyvale, Calif. Technical rept. on Mathematics, Rept. no. 6-90-62-2, 47p. Apr 62.

The pattern recognition problem is composed of two subproblems. First abstracting significant characteristics from the patterns being dealt with. The second identifying the pattern. Discussed is a special purpose digital computer, which simulates a network of threshold elements designed to correctly identify a preselected set of typical patterns. In addition to describing the design procedures, methods of feature extraction, and the hardware employed, the results of experiments involving several thousand hand-written characters are presented.

42. Fougere, G. and J. Preston  
A fast numeral reading machine. ELECTRONIC ENGRG 33: 562-573, Sept 1961.

Solar cells are used to read groups of three decimal digits from a tape at the rate of 150 characters per second. Error rate was kept below 0.01 per cent.



43. Foulkes, J. D.  
Computer identification of vowel types.  
ACOUSTICAL SOC. OF AMER. J. 33:7-11,  
1961.

Description of a coordinate transformation system which simplifies vowel boundary determination from experimental data on vowel formant frequencies and voice pitch.

44. Freeman, D. N.  
Computer synthesis of character recognition  
systems. IRE TRANS. ON ELECTRONIC  
COMPUTERS. EC-10:735-748, Dec. 1961.

Description of a logic simulation program that was run in the IBM 704 to verify character recognition procedures.

45. Fritzsche, D. L.  
A SYSTEMATIC METHOD FOR CHARACTER  
RECOGNITION. Antenna Lab., Ohio State U.  
Research Foundation, Columbus. Rept. no.  
1222-4, 15 Nov 61, 56p. (Contract AF 33(616)  
6137). ASTIA AD-268 360

A technique for character recognition is described such that: (1) each character is representable by a unique mathematical expression; (2) the recognition technique is independent of character size; (3) the technique is independent of character orientation; and (4) the gross features of a character are identified by using only a limited number of terms of the mathematical expression. The principal disadvantage of the technique is that it is sensitive to irregularities or distortions of standard figures. The technique is considered feasible for the recognition of typed letters or numbers, where the figures are distinct and are identical for each appearance.

46. Fujisaki, H.  
ON THE EXTRACTION OF PITCH AND FORMANT  
BY MEANS OF A DIGITAL COMPUTER. Profes-  
sional Group of Information Theory of the Institute  
of Electrical Communication Engineers of Japan,  
Fujimicho, Chiyodaku, Tokyo, Japan. June 24, 1961

46. Pitch is extracted by taking the short-term auto-correlation function of the signal and then detecting the time interval corresponding to the fundamental period. Formant tracking was based on the principle of "analysis by synthesis."

47. Gen. Electric Company  
MAGNETIC INK CHARACTER RECOGNITION  
U. S. P. 3000000, 12 Sept 1961.

Signal amplitude is detected and amplified to secure voltage patterns representative of characters.

48. Giuliano, V. E., et al.  
Automatic pattern recognition by a Gestalt method. INFORMATION & CONTROL 4: 332-345, Dec. 1961.

A method for pattern recognition by normalizing images and comparing with stored signals representing patterns.

49. Glushkov, V. M.  
On one principle of constructing a universal reading automation. AUTOMATIKA, No. 1:55-65. 1962. (In Russian, English summary).

Aspects of an algorithm are presented for reading and analyzing drawings and typographical signs.

50. Golovin, N. E.  
Reading printed data electronically.  
AUTOMATION, 8: 60-64, Dec. 1961.

A system is described for pattern recognition by matrix comparison.

51. Gregory, R. A.  
Lattice type character recognition. I. B. M.  
TECHNICAL DISCLOSURE BULL. 4: 97-98, May 1962.

Characters are projected onto photosensitive strips arranged in lattices. Parameters of each strip are functions of the character image.

52. Grimsdale, R. L. and J. M. Bullingham  
Character recognition by digital computer  
using a special flying spot scanner.  
COMPUTER J., 4: 129-136, July 1961.

Discussion of a device that recognizes spatial patterns by the use of a grid and a binary matrix.

53. Halle, M., and K. Stevens  
Speech recognition: a model and a program  
for research. IRE TRANS. INFORMATION  
THEORY, IT-8: 155-159, Feb. 1962.

Input speech is transformed into a sequence of phonemes by a speech recognition model.

54. Hamilton, W. B.  
Optical character recognition system.  
DATA PROCESSING 4: 22-26, July 1962.

The Rabinow Universal Reader identifies typed numerals on freight waybills, and punches the data on cards by the use of an IBM 609.

55. Handwritten numerals recognized by new IBM  
scanner. COMPUTERS & AUTOMN., 11: 17-19,  
Aug 1962.

An experimental device is described which can recognize handwritten numerals.

56. Harris, B.  
Inductive probability as a criterion for pattern  
recognition. PROC. IRE, 49: 1951-1952,  
Dec. 1961.

The merits of inductive probability for applications in pattern recognition are discussed.

57. Healy, L. D.  
DIGITAL DATA PROCESSOR FOR PATTERN  
RECOGNITION EXPERIMENTS. Lockheed  
Aircraft Corp., Sunnyvale, Calif. Technical  
rept. on Mathematics. LMSD 895013. Jan 1961,  
94p. PB 156 241 ASTIA AD 251-760.

A practical system consisting of commercially available components is described for pattern recognition.

58. Highleyman, W. H.  
An analog method for character recognition.  
IRE TRANS ON ELECTRONIC COMPUTERS.  
EC-10: 502-512, Sept. 1961.

A character recognition method is discussed that should operate with machine printing or constrained hand printing. The principle relates to maximizing cross-correlation value between known and unknown characters.

59. Highleyman, W. H.  
Further comments on the N-tuple pattern  
recognition method. IRE TRANS. ELECTRONIC  
COMPUTERS, EC-10: 97, March 1961.

A letter commenting on aspects of the character recognition problem.

60. Highleyman, W. H.  
Linear decision functions, with application to  
pattern recognition. PROC. IRE. 50: 1501-1514,  
June 1962.

On a class of categorizers that are simple and inexpensive, based on linear decision function. Concepts and procedures are developed and applied to recognition of hand-printed numerals for illustration.

61. Highleyman, W. H.  
A note on optimum pattern recognition systems.  
IRE TRANS. ON ELECTRONIC COMPUTERS,  
EC-10: 287-288, June 1961.

Decision criterion is given for minimizing the error rate in a recognition system.

62. Horwitz, L. P.  
Autocorrelation function generator. IBM  
TECHNICAL DISCLOSURE BULL., 4: 48-49,  
Sept. 1961.

An arrangement is described for the optical simulation of autocorrelation functions of input patterns.

63. Horwitz, L. P. and G. L. Shelton, Jr.  
Pattern recognition using autocorrelation.  
PROC. IRE. 49: 175-185, Jan. 1961.

Registration invariant techniques of pattern recognition are discussed in detail. Computer simulation was done, and results are given.

64. Hough, P. V. C.  
A COMPUTER LEARNS TO SEE. Brookhaven  
National Laboratory, Upton, N. Y. BNL-725.  
Brookhaven Lecture Series No. 14, 14p. 14 Feb.  
1962. (Contract AT (30-2)-gen-16).

Discussion on the many aspects of computer capabilities, including pattern recognition.

65. Hu, M. K.  
Pattern recognition by moment invariants.  
PROC. IRE, 49: 1428, Sept. 1961.

Outline of a pattern recognition theory based on a set of two-dimensional moment invariants with which it is possible to identify characters without regard to position, size, nor orientation.

66. Hu, M. K.  
Visual pattern recognition by moment invariants.  
IRE TRANS. INFORMATION THEORY, IT-8:  
179-187, Feb. 1962.

A complete system is presented for pattern recognition by relating moment invariants to algebraic invariants.

67. Hughes, G. W.  
THE RECOGNITION OF SPEECH BY MACHINE.  
Research Lab. of Electronics, Mass. Inst. of  
Tech., Cambridge, Tech. Rept. 395, 62p.,  
1 May 1961. (DA 36-039-sc-78108) ASTIA  
AD-268 489.

All aspects of the engineering of a speech recognition system are discussed. The approach is from the concept of the phoneme as the atomic unit.

68. IBM's Optical reader provides direct entry.  
DATAMATION 7(3): 27, March 1961.

Announcement of an optical character reader marketed by IBM.

69. Hijima, T., et al.  
A NEW PROCESS OF CHARACTER RECOGNITION  
USING A SIEVING METHOD. Professional Group on  
Automata and Automatic Control of the Institute of  
Electrical Communication Engineers of Japan,  
Fujimicho, Chiyodaku, Tokyo, Japan, June 23, 1961.

A discussion of the "sieving method" as an approach to pattern recognition.

70. Inomata, S., and M. Kumada  
SIMULATION OF TEACHING AND LEARNING OF  
AN ACTIVE SPEECH RECOGNIZER. Professional  
Group on Automata and Automatic Control of the

70. (contd.)      Institute of Electrical Communication Engineers  
                    of Japan, Fujimicho, Chiyodaku, Tokyo, Japan.  
                    June 23, 1961.

Simulations of the teaching and learning processes have been performed with computers, and the values obtained have been analyzed.

71.                International Business Machines Corp.,  
                    CHARACTER RECOGNITION. U.S.P.  
                    3008123, 7 Nov. 1961.

Description of a system in which signature signals are produced and applied to improved processing circuitry.

72.                International Business Machines Corp.,  
                    CHARACTER RECOGNITION - MAGNETIC  
                    INK CHARACTERS. B. P. 861555, 22 Feb. 1961.

A multi-channel magnetic transducer assembly is presented which may be used in sensing magnetic ink characters.

73.                International Business Machines Corp.,  
                    MAGNETIC CHARACTER RECOGNITION.  
                    U.S. P. 3030014, 17 April 1962.

A description of magnetic heads for sensing characters printed in magnetic ink.

74.                Int. Standard Electric Corp.,  
                    CHARACTER RECOGNITION. U.S.P.  
                    3025495, 13 March 1962.

Arrangements for more simple scanning in optical pattern recognition are described.

75.                Kac, M.  
                    A note on learning signal detection, IRE TRANS.  
                    INFORMATION THEORY, IT-8:(2) 126-128,  
                    Feb. 1962.

76. Kain, R. Y.  
Autocorrelation pattern recognition. PROC.  
IRE, 49: 1085-1086, June 1961.

A letter concerning the use of autocorrelation in pattern recognition. Experiments using the TX-0 computer are outlined.

77. Kalin, T. A.  
SOME METRIC CONSIDERATIONS IN PATTERN  
RECOGNITION. Air Force Cambridge Research  
Labs., Bedford, Mass. Rept. no. AFCRL-327, 44p.  
July 1961.

Speculation about machines which might learn to recognize visual patterns but which would be randomly wired are analyzed, and it is shown that at least certain mild constraints of a distance-ordering sort must be imposed upon random connections.

78. Kamentsky, L. A.  
The simulation of three machines which read  
rows of handwritten Arabic numbers, IRE TRANS.  
ON ELECTRONICS COMPUTERS, EC-10: 489-501,  
Sept. 1961.

The required control for the writers, by each of the three machines varied. In the model study, about 1% of the numbers were misread and about 10% rejected.

79. Kaszerman, P.  
AN INTRODUCTION TO THRESHOLD DEVICES  
AND THEIR USE IN PATTERN RECOGNITION.  
New York U. Coll. of Engineering, N. Y.  
Technical rept. no. 400-44, Aug. 61, 68p.  
(Contract AF 49(638)586, Proj. 9768)  
AFOSR-2414. ASTIA AD-281 760

Introductory concepts of switching logic by threshold devices, and examples in pattern recognition applications. A threshold device realizes a given function by: (1) forming a weighted linear sum on the binary inputs plus a threshold number; and (2) forming a binary output whose value is determined by the value of this sum. The complement



of a single variable, the AND and the OR functions of any number of variables can be realized by a single threshold device. A necessary condition for realizability by a single threshold device is that the function be completely monotonic.

80. Keller, H. B.  
Finite automata, pattern recognition and perceptrons.  
J. ASSOC. COMP. MACH. 8: 1-20, Jan. 1961.

Pattern recognition logic is developed together with a number of theorems in terms of set theory.

81. Kersta, L. G.  
Spectrographs identify human voice patterns.  
INTERNATIONAL ELECTRONICS 4: 20-21,  
Aug 1962.

It is proposed that voice spectrograms could be used for identification of individuals with the aid of computer analysis.

82. Komandrovskiy, V. G.  
PROBLEMS IN THE DESIGN OF A SCANNING  
DEVICE. Joint Publications Research Service,  
Washington, D. C. JPRS 13543. April 1962.  
(Foreign Developments in Machine Transl.  
and Information Proc. No. 94). Translation  
from Mashinyy Perevod. Proc. Inst. Prec. Mech.  
Comput. Eng., Acad. Sci. U.S.S.R. No. 2,  
Moscow, 1961, 447p.

83. Koshikawa, T.  
ON THE ELEMENTAL NATURE OF FUNDA-  
MENTAL FREQUENCIES GOVERNING SPEECH  
QUALITY. Professional Group on Information  
Theory of the Institute of Electrical Communica-  
tion Engineers of Japan, Fujimicho, Chiyodaku,  
Tokyo, Japan. June 24, 1961.

83. (contd) Fundamental frequencies of speech were analyzed and were found to be important to the quality of naturalness.

84. Laemmel, A. E.  
MACHINE LEARNING PROCESSES APPLIED TO  
PATTERN RECOGNITION. Microwave Research  
Inst., Polytechnic Inst. of Brooklyn, N. Y. Final  
rept., 14 Dec 61, 39p. Rept. no. PIBMRI-981-61  
(Contract AF 19(604)6154)AFCRL 62-6. ASTIA  
AD-282 549.

The theories of the principal three methods for pattern recognition are summarized. Calibration from a sample set of patterns; derivation of numerical properties; and a decision process for determining the class of a pattern. Several mathematical processes are suggested for finding useful properties, including equations which define invariants to acceptable distortions. It is shown that if an efficient and consistent decision process is used, then the property search is easier since the addition of useless or redundant properties cannot degrade the performance.

85. Lamson Paragon Ltd.  
Recognition of handwritten characters,  
B. P. 863431, 22 March 1961

A device is used to identify handwritten numerals by the actuation of different circuits for each direction of movement.

86. Larkin, W. D., et al.  
SPEECH-TO-CODE CONVERTER STUDY.  
General Dynamics/Electronics, Rochester, N. Y.  
Final rept. 1 July 1959-31 Dec. 1960. 30 Sept 1961,  
149p. (DA 36-039-sc-78908) ASTIA AD-272 109.

An experimental study was made to determine the necessary parameters for the identification of words spoken in isolation. Several approaches were demonstrated to be sound.

87. Leimer, J. J.  
Design factors in the development of an optical  
character recognition machine. IRE. TRANS.  
INFORMATION THEORY. IT-8: 167-171,  
Feb. 1962.

On the development of the IBM 1418 Optical Character Reader, and includes a general discussion of the basic design factors to be considered in the design of optical readers.

88. Leland, H. R.  
PERCEIVING AND RECOGNITION AUTOMATA.  
Cornell Aeronautical Lab., Inc., Buffalo, N. Y.  
Annual rept. on Project PARA, 1 Jan - 31 Dec.  
1961. 31 Dec 1961. 19p. (Nonr-238100) ASTIA  
AD-272 245.

A perceptron and a computer were used in system to ascertain their abilities to recognize imperfect, mixed-font printed characters.

89. Letters, symbols, punctuation read.  
DATAMATION 7:(3) 25, March 1961.

An announcement of Farrington's alphabetic page reader. This fully transistorized device is capable of reading and recording up to 300 upper case letters per second.

90. Lewis, P. M.  
The characteristic selection problem in recognition  
systems. IRE TRANS. INFORMATION THEORY, IT-8:  
171-178, Feb 1962.

An extensive discussion of statistical recognition systems, and necessary experiments to best apply such methods.

91. Lumpkin, C., and C. E. Newcomb  
High-speed character recognition. IBM  
TECHNICAL DISCLOSURE BULL., 5: 37-38,  
Sept. 1962.

91 (contd) Circuitry is described that codifies video signal output from a scanner for use in recognition.

92. Martin, T. B. and J. J. Talavage  
SPEECH PATTERN RECOGNITION BY  
SIMULATED NEURAL NETWORKS. RCA  
Defense Electronic Products, Camden, N. J.  
Interim rept. no. 1, 1 Dec 61 - 1 May 62, 1 July 62,  
48p. (Contract AF 33(657(7405, Proj. 4335)  
ASD TDR 62-511, ASTIA AD-277 200.

A summary of the physiology of hearing including information on the middle ear, inner ear, and the intermediate levels up through the acoustic cortex; neural responses from these levels are described. The authors are using this information to guide the design of a speech recognition system using neural networks. Electrical models are described, and aspects of the performance of the models are compared with known psychoacoustic data on threshold of hearing, masking and critical bandwidth. A "neural transition AND gate" is described which abstracts time transitions of energy as they occur in the speech patterns. A final report will be issued describing the performance of the system when using speech inputs.

93. Mattson, R. L.  
AN APPROACH TO PATTERN RECOGNITION  
USING LINEAR THRESHOLD DEVICES.  
Lockheed Missiles and Space Co., Sunnyvale,  
Calif. Technical Report on Mathematics, LMSD  
702680. Sept. 1960, 31p. ASTIA AD-246 244.

Pattern space, data space, and classification space are the three fundamental spaces to be considered if the problem of pattern recognition is to be represented as a mapping problem. Equipment is proposed and examples are given in the utilization of this approach.

94. Meeker, W.F. and L. S. Green  
VOICE TO TELETYPE CODE CONVERTER  
RESEARCH PROGRAM, PART I. EXPERI-  
MENTAL VERIFICATION OF A METHOD TO  
RECOGNIZE PHONETIC SOUNDS. Radio Corp.

- 94 (contd) of America, Camden, N. J. Dec. 1961. 125p.  
(AF 33(616)6691, Proj. 4335) ASD TR 61-666,  
Pt. 1. ASTIA AD-272 024.

Eventual development of a speech to teletype code converter requires basic information relating to automatic speech recognition. In general, the phoneme was taken as the basic speech unit, but a number of instrumental approaches were attempted.

95. Melpar, Inc., Watertown, Mass.  
APPLICATION OF RECOGNITION-THEORY TO  
MISSILE IDENTIFICATION AND DECOY DISCRIMINATION, v. 2, semi-annual report no. 2, 30 Jan 1962. 140p. (AF 30(602)2420, Proj. 4983). ASTIA AD-273 241.

The nine sections of this report each discusses some aspect of the pattern recognition problem; approximate decision techniques; variant form analysis; representation; and forms of testing.

96. Merry, I. W. and G. O. Norrie  
Character quality and scanner organization.  
COMPUTER J. 4: 137-144, July 1961.

The many variables that relate to quality in scanning systems which employ a mapping on a binary matrix are discussed.

97. Michigan University, College of Lit., Sci., and  
the Arts, Ann Arbor. A THEORY OF ADAPTIVE  
SYSTEMS. Quarterly Progress Report no. 2,  
1 Feb. - 30 Apr 1961. June 1961. 2p. Report  
no. 04274-2-p. (DA 36-039-sc-87174) ASTIA  
AD-261 711.

Report of efforts to detail an adaptive system. A subclass of such systems was selected and its functions analyzed.

98. Miller, G. A.  
Decision units in the perception of speech.  
IRE TRANS. INFORMATION THEORY, IT-8:  
81-83, Feb. 1962.

Decisions relative to speech recognition depend upon grammatical structure, and it may be necessary to include such information for automatic speech recognition.

99. Minot, O. N.  
AUTOMATIC DEVICES FOR RECOGNITION OF  
VISIBLE TWO-DIMENSIONAL PATTERNS: A  
SURVEY OF THE FIELD. Report for Jan 58 - May 59,  
13 June 1961, 60p. Research Report no. 1050,  
PB181065.

Survey of existent systems for recognition of two-dimensional visible patterns; and of the general principles involved.

100. Minsky, M. L., C. N. Pryor, and P. A. Clavier  
"Self-educating" pattern-recognition schemes.  
PROC. IRE, 50: 1707-1708, July 1962.

Letters on the title subject.

101. Minsky, M. L.  
Steps towards artificial intelligence.  
PROC. IRE, 49: 8-30, Jan 1961.

A survey of the problems of using artificial intelligence to solve really difficult problems. The report consists of the following five section: Search, pattern recognition, learning, planning, and induction.

102. Newman, E. A.  
Some comments on character recognition  
COMPUTER J. 4: 114-120, July 1961.

102. (contd). Systems should be organized, when possible, without pattern recognition because of complexity and expense. Character recognition systems should be constructed according to minimal distinguishing features that are similar to those used by humans.

103.           Nikolayeva, T. M.  
CLASSIFICATION OF A TABLE OF RUSSIAN  
GRAPHEMES (ON THE PROBLEM OF BUILD-  
ING A READING DEVICE). Joint Publications  
Research Service, Washington, D. C. JPRS-  
13256, March 1962. (Foreign Developments in  
Machine Translation and Information Process-  
ing, no. 88). (Translated from: Doklady na  
konferentsii po obrabotke informatsii, mashin-  
nomu perevodu i avtomaticheskomu chteniya  
teksta. Moscow, Institut Nauchnoy Informatsii,  
Akad, nauk, SSSR, no. 6, 1961, p 1-11)

On classificatory features of the Cyrillic alphabet for pattern recognition. Contains a number of references to Russian literature on the subject.

104.           O'Connell, J. A.  
Electroluminescent-photoconductive pattern  
recognizer organizes itself. ELECTRONICS,  
34: 54-57, July 14, 1961.

A sandwich module for recognition of 12-bit digital words is described.

105.           Optical character reading at NCR  
DATAMATION 7 (3):28, Mar. 1961.

Announcement of a National Cash Register character recognition machine that is capable of reading cash register tapes at 11,000 characters per second. Other generalities are discussed.

106. Optical recognition; the breakthrough is here.  
DATAMATION 7(3): 22-23, 1961.

Report on activities of the ASA subcommittee on character recognition standards.  
Eight criteria for judging type fonts have been established.

107. Optical scanners speed data processing.  
INTERNATIONAL ELECTRONICS, 4: 22-25,  
Aug 1962.

A general discussion of optical character recognition illustrated with some available equipment.

108. Optical scanning systems. AUTOMATIC  
DATA PROC. 3 (3): 33-38, 1961.

A review of optical reader equipment available in Great Britain.

109. Partridge, E. M.  
A linear vector recognition function. IRE TRANS.  
ELECTRONIC COMPUTERS. EC-11:88, Feb. 1962.

Letter suggesting simplifications in computations for pattern recognition methods.

110. Reid, C. M. B.  
A reader for hand-marked documents.  
ELEC. ENGRG. 33:274-278, May 1961.

The logical operations are given in detail, and the component designs are described for a simple machine to read hand-marked documents.

111. Reistad, D. L.  
BANKING AUTOMATION AND THE MAG-  
NETIC INK CHARACTER RECOGNITION  
PROGRAM. Detroit, Mich., Detroit Research  
Institute, 1961, 173p.

The many practical aspects of the use of character recognition in banking procedures are discussed.



112. Reumerman, T. and W. H. T. Helmig  
CHARACTER RECOGNITION, B. P.  
895789, 9 May 1962.

Character recognition is achieved by the pattern of linear interruption detected by scanning elements.

113. Scope Inc. SPEECH RECOGNITION.  
U. S. P. 3037076, 29 May 1962.

Digital signals from a converter of speech-to-digital are further converted to analog for optical comparison with stored patterns.

114. Scope Inc., SPEECH-TO-DIGITAL CONVERTER.  
U. S. P. 3037077, 29 May 1962.

Spoken words are converted to digital form by a system that converts sound to light patterns.

115. Sebestyen, G. S. and Alice K. Hartley  
STUDY PROGRAM OF PATTERN RECOGNITION  
RESEARCH. Litton Systems, Inc., Waltham, Mass.  
Final rept., 1 Jan - 31 Dec 61, 31 Dec. 61, 142p.  
(Contract AF 19(604)8024, Proj. 5632) AFCRL  
62-65. ASTIA AD-273 235

The basic element in pattern recognition problems is a requirement to recognize membership in classes. This analysis considers the automatic establishment of decision criteria for measuring membership in classes that are known only from a finite set of samples. Each sample is represented by a point in a suitably chosen, finite-dimensional vector space in which a class corresponds to a domain that contains its samples. Boundaries of the domain in the vector space can be expressed analytically with the aid of transformations that cluster samples of a class and separate classes from one another. From these geometrical notions a generalized discriminant analysis is developed which, as the sample size goes to infinity, leads to decision-making that is consistent with the results of statistical decision theory.

116. Sholtz, P. N. and R. Bakis  
Spoken digit recognition using vowel-consonant  
segmentation. ACOUST. SOC. AMER. J.  
34:1-5, 1962.

Computer simulation is used to recognize spoken digits by segmentation of spoken words into vowels and consonants. From segmentation, recognition is performed by dictionary search. 493 words were tested with 50 speakers, and 97% of words were recognized.

117. Shoup, J. E.  
Phoneme selection for studies in automatic  
speech recognition. ACOUSTICAL SOC. OF  
AMER. J. 34: 397-403, 1962.

Study of the phoneme alone as the fundamental criterion in speech recognition, and examination of the alternative of combinations of phonemes into words.

118. Singer, J. R.  
Electronic analog of the human recognition system.  
J. OPT. SOC. AM., 51: 61-69, Jan. 1961.

A system with many similarities to human characteristics is described. It will tolerate various sizes and degrees of tilt.

119. Singer, J. R.  
A self organizing recognition system. In  
WESTERN JOINT COMPUTER CONFERENCE,  
1961, PROC. [New York], 1961, p. 545-69.

Input patterns from a matrix array of photoreceptors are compared with patterns in the memory. The worst fit in a comparison is retained if it does not overlap with another character. In this way considerable variation is allowed in the input forms.

120. Solartron Electronic Group Ltd.,  
CHARACTER RECOGNITION. B. P. 860568,  
8 Feb. 1961

A means of using several readers in different locations with one pattern recognition system.

121. Standard Telephones & Cables Ltd.  
CHARACTER RECOGNITION. B. P.  
858374, 11 Jan 1961.

On circuit connections for recognition systems using resistance matrices.

122. Standard Telephones & Cables Ltd.  
CHARACTER RECOGNITION. B. P.  
871162 and 871163, 21 June 1961.

These two patents describe a means of storing signals produced by scanning, in a two-dimensional shaft register where they are evaluated.

123. Standard Telephones & Cables Ltd.  
CHARACTER RECOGNITION. B. P.  
878931, 4 Oct. 1961.

Bistable devices couple signals obtained by parallel scanners and interpret any particular pattern with a character.

124. Steck, G. P.  
Stochastic model for the Browning-Bledsoe  
pattern recognition scheme. IRE TRANS.  
ELECTRONIC COMPUTERS, EC-11,  
274-282, April 1962.

The Browning-Bledsoe scheme for pattern recognition is analyzed by means of a stochastic model, in which successful probability of recognition is given as a function of scheme parameters and pattern variability parameters.

125. Stevens, M. E.  
Abstract shape recognition by machine. In EASTERN  
JOINT COMPUTER CONFERENCE 1961, PROC.  
N. Y., Amer. Inst. Elect. Eng., 1961, p. 332-351.

The ability of machines to recognize several categories of geometric shapes is investigated relative to the problem of information selection and retrieval.

126. Stevens, Mary E.  
AUTOMATIC CHARACTER RECOGNITION,  
A STATE-OF-THE-ART REPORT. Natl. Bur.  
Standards Tech. Note 112, May 1961, 168p.  
PB 161613.

A comprehensive survey of the literature on pattern recognition with generalizations and analysis. Contains a bibliography of 549 references.

127. Stone, V. W.  
Optical character recognition applied to phono-  
typy. DATA PROC. 3(8): 38-42, 1961.

A concise description is given of the stenotype alphabet, and it is proposed that the computer type out words in full as the stenotypist codes into syllables.

128. Suzuki, H. and J. Oizumi  
A PROGRAM FOR SPEECH RECOGNITION WITH  
LEARNING ABILITY. Professional Group on  
Information Theory of the Institute of Electrical  
Communication Engineers of Japan, Fujimicho,  
Chiyodaku, Tokyo, Japan. June 23, 1961.

Unknown speech signals are frequency-analyzed and transformed into 10-digit binary codes, and fed into the computer. Comparisons and decisions are made, and the output is evaluated automatically.

129. Sylvania Electric Products, Inc., Waltham, Mass.  
OPTIMUM SPEECH SIGNAL MAPPING TECHNIQUES.  
Final technical rept. 10 Jan 62, 94p. Rept. no. F428-1  
(Contract AF 30(602)2446) RADC TR 62-3, ASTIA AD-  
273 443.

Investigations of the analysis of speech and speech-like waveforms in terms of an exponential orthogonal function series were carried out. The analysis and resynthesis of speech was accomplished with a digital computer. Connected speech consisting of two spoken sentences was successfully analyzed and resynthesized using the methods advocated and developed. The resynthesized speech is of such quality that both the phonetic information and the identity and quality of the speaker's voice

are preserved. Thus the developed analysis methods appear to have significant relevance to future application in the analysis of speech for both automatic speech recognition machines and for speech compression communications channels.

130. Thompson Ramo Wooldridge, Inc. , Canoga Park,  
Calif. WORD SEARCHING DEVICE, PART II. ,  
23 Sept 1961, 49p. Tech. rept. no C117-1U14,  
pt. 2. (AF 30(602)2300). ASTIA AD-264 440.

Work toward recognition of complete words is less attractive than letter by letter.  
The system for achieving the latter is presented.

131. Tuffill, H. W.  
A note on recognition of hand-printed characters.  
INFORMATION & CONTROL 4: 197, Sept. 1961.

Error rates in human recognition of printed characters have varied in various studies,  
and this note discusses the discrepancies.

132. Uhr, L.  
A possibly misleading conclusion as to the  
inferiority of one method for pattern recognition  
to a second method to which it is guaranteed to be  
superior. IRE TRANS. ELECTRONIC COMPUTERS,  
EC-10: 96-97, March 1961.

A critical letter on tests of pattern recognition methods of Bledsoe and Browning by  
Highleyman and Kamentzky.

133. Uhr, L. and C. Vossler  
A pattern recognition program that generates,  
evaluates and adjusts its own operators. In  
WESTERN JOINT COMPUTER CONFERENCE,  
1961, PROC. [New York, ] 1961, p. 555-69.

133. (contd) Description of a program that generates its own operators from unknown patterns in the form of binary matrices. Comparisons are made, and input correctly identified are amplified while others are deamplified.

134.                   Uhr, L. and C. Vossler  
                      Suggestions for self-adapting computer models  
                      of brain functions. BEHAVIORAL SCIENCE,  
                      6: 91-97, Jan 1961.

A general purpose computer system is described that would be self-adaptive with easily designed circuitry for operating on any kind of space.

135.                   Vogler, G. W.  
                      Optical scanning of customer accounts.  
                      DATAMATION 7(3): 26, March 1961.

Description of the operation of a system for scanning numerical data on bill stubs and transcribing same to paper tape for processing. Reading rate is 100 documents per minute.

136.                   Vessler, C. and L. Uhr  
                      COMPUTER SIMULATIONS OF A PERCEPTUAL  
                      LEARNING MODEL FOR SENSORY PATTERN  
                      RECOGNITION, CONCEPT FORMATION, AND  
                      SYMBOL TRANSFORMATION, System Develop-  
                      ment Corp., Santa Monica, Calif. 8 Mar 62, 14p.  
                      Rept. no. SP-562. ASTIA AD-276 703

137.                   Watanabe, S.  
                      A note on the formation of concept and of associa-  
                      tion by information-theoretical correlation analysis.  
                      INFORMATION & CONTROL, 4: 291-296, Sept 1961.

The method of information-theoretical correlation analysis provides a powerful tool in producing mechanisable models of certain cognitive and recognitive processes. All kinds of correlation can be added on an equal footing to form the total sum of correlation, which is a constant and characteristic of a given set of objects.

138. Weeks, R. W.  
Rotating raster character recognition system.  
COMMUN. & ELECTRONICS, No. 56: 353-359,  
Sept. 1961.

The procedure for applying statistical decision theory to a rotating raster character recognition system is described. Results of simulations are given, and an outline is presented of a design for a completely transistorised system.

139. Welch, P. D. and R. S. Wimpess  
Two multivariate statistical computer programs  
and their application to the vowel recognition  
problem. J. ACOUST. SOC. AM., 33:426-434,  
April 1961.

Two systems based upon multivariate statistical techniques for vowel recognition are described.

140. Wentworth, V.  
Farrington has optical scanning lead.  
DATAMATION 7, (3):23-25, Mar. 1961.

Procedures are discussed concerning the use of Farrington Electronics, Inc. apparatus in billing.

CATCHWORD  
SUBJECT INDEX

Abstract . . . . .	125
Adaptive . . . . .	26, 97, 134
Algebra . . . . .	66
Algorithm . . . . .	23, 49
American Standards Association Committee on Character Recognition Standards . . . . .	106
Amplitude . . . . .	47
Analog . . . . .	58, 113, 118
Analysis . . . . .	39, 46, 49, 70, 81, 83, 95, 97, 124, 126, 128, 129, 137
Application . . . . .	6, 14, 60, 71, 79, 95, 127, 139
Autocorrelation . . . . .	7, 29, 46, 62, 63, 76
Automatic . . . . .	22, 48, 88, 94, 98, 99, 117, 126, 129
Bank . . . . .	111
Bahavior . . . . .	38
Bibliography . . . . .	126
Binary . . . . .	17, 52, 79, 96, 128, 133
Bistable . . . . .	123
Blind . . . . .	30
Browning-Bledsoe . . . . .	124, 132
Cash-register tapes . . . . .	105
Categorizer . . . . .	6, 60
Characteristic . . . . .	14, 22, 41, 90, 118
Chrysler Optical Processing Scanner . . . . .	24
Circles . . . . .	6
Circuit . . . . .	3, 4, 25, 71, 85, 91, 121, 134
Class . . . . .	14, 97, 115
Classification . . . . .	17, 28, 31, 93, 103
Code . . . . .	9, 14, 86, 91, 94, 127, 128
Commercially . . . . .	33, 57
Comparison . . . . .	128, 133
Composite . . . . .	11



Computer	1, 15, 24, 30, 41, 43, 44, 46, 51, 54, 63, 64, 70 76, 81, 88, 116, 127, 129, 134, 136, 139
Concept Formation	136, 137
Connections	36, 77, 121
Consonant	116
Conversion	37, 86, 113, 114
Coordinate Transformation	43
COPS	24
Correlation Analysis	137
Couple	123
Cross-correlation	58
Cyrillic alphabet	103
Data	16, 17, 18, 19, 20, 37, 43, 50, 54, 57, 93, 107, 135
Decision	6, 17, 22, 31, 60, 61, 95, 98, 128, 138
Decoy	95
Design	20, 82, 87, 110, 134, 138
Detection	75, 112
Devices	5, 9, 26, 34, 52, 79, 82, 85, 93, 99, 123, 130
Differentiate	23
Digital	1, 9, 41, 46, 57, 104, 113, 116, 128
Discrimination	95
Distance-Ordering Sort	77
Distribution	31
Drawings	49
Ear	92
Electrical	16
Electroluminescent-Photoconductive	104
Electronic	18, 50, 118
Elementary Perceiver and Memorizer	38
Ellipses	6
EPAM	38
Error	6, 42, 61, 131
Evaluated	128, 133

Experimental . . . . .	1, 16, 17, 18, 19, 20, 23, 34, 36, 43, 55, 57, 86, 90, 94
Factor . . . . .	14
Feasibility . . . . .	9, 37
Filters . . . . .	21
Finite Automata . . . . .	80
Flying Spot Scanner . . . . .	52
Formant . . . . .	3, 4, 43, 46
Freight Waybills . . . . .	54
Frequency . . . . .	4, 43, 83, 128
Function . . . . .	1, 7, 29, 46, 62, 97, 109, 134
Gaussian . . . . .	21
Generate . . . . .	7, 36, 62, 133
Geometry . . . . .	6, 125
Gestalt . . . . .	48
Grammar . . . . .	98
Graphemes . . . . .	103
Graphical . . . . .	16, 17, 18, 19, 20
Great Britain . . . . .	108
Handwriting . . . . .	11, 36, 55, 78, 85, 110, 131
Hearing . . . . .	92
IBM 609 . . . . .	54
IBM 650 . . . . .	30
IBM 704 . . . . .	1, 44
IBM 1418 Optical Reader . . . . .	87
IBM 7090 . . . . .	15
Inductive . . . . .	14, 56, 101
Information Retrieval . . . . .	125
Information — Theoretical . . . . .	137
Input . . . . .	14, 15, 18, 37, 53, 119, 133
Integral . . . . .	6
Interpretation . . . . .	5
Invariant . . . . .	6, 35, 63, 65, 66, 84
Lattice . . . . .	51

Learning . . . . .	4, 19, 21, 22, 31, 38, 70, 75, 77, 101, 128, 136
Light . . . . .	114
Linear . . . . .	60, 79, 98, 109, 112
Logic . . . . .	15, 26, 44, 79, 80, 110
Machine . . . . .	6, 19, 20, 22, 23, 28, 34, 37, 67, 77, 78, 125
Machine Language . . . . .	6
Magnetic Head . . . . .	73
Magnetic Ink . . . . .	47, 72, 73, 111
Mapping . . . . .	93, 96, 129
Mathematical . . . . .	45, 84
Matrix . . . . .	10, 13, 50, 52, 96, 119, 121, 133
Maximum . . . . .	25
Memory . . . . .	9, 13, 38, 119
Method . . . . .	12, 13, 18, 31, 45, 48, 58, 59, 84, 90, 94, 109, 132
Metric . . . . .	77
Minimum . . . . .	6, 22, 25, 102
Missile . . . . .	95
Model . . . . .	14, 53, 78, 92, 124, 134, 136
Moments . . . . .	1, 65, 66
Multi-Channel Magnetic Transducer . . . . .	72
N-Tuple . . . . .	12, 13, 59
Networks . . . . .	26, 41, 92
New . . . . .	29
Noise . . . . .	21
Numerical . . . . .	6, 84
Operations . . . . .	35
Optical . . . . .	8, 33, 37, 39, 40, 54, 62, 68, 74 87, 105, 106, 107, 108, 113, 127, 140
Optimum . . . . .	13, 21, 22, 61
Orientation . . . . .	24, 45, 65, 118
Output . . . . .	79, 128
Parallel . . . . .	123
Parameters . . . . .	6, 14, 31, 51, 86, 124

Perceptron . . . . .	80, 88
Philosophy . . . . .	27
Phonemes . . . . .	53, 67, 94, 117
Phonotypy . . . . .	127
Photocells . . . . .	30
Photographic . . . . .	18
Photomemory . . . . .	9
Photosensitive . . . . .	51, 119
Pitch . . . . .	43, 46
Position . . . . .	35, 65
Print . . . . .	9, 37, 50, 58, 88, 131
Probability . . . . .	2, 6, 56, 124
Process . . . . .	14, 16, 17, 18, 19, 20, 37, 38, 57, 107, 135
Program . . . . .	38, 44, 53, 115, 128, 133, 139
Quality . . . . .	83, 96
Rabinow Universal Reader . . . . .	54
Random . . . . .	77
Receptor . . . . .	6
Rectangles . . . . .	6
Registration . . . . .	8, 63
Research . . . . .	16, 17, 18, 19, 20, 53, 94, 115
Resistance . . . . .	121
Rotating Raster . . . . .	7, 138
Rotation . . . . .	6
Russian Language . . . . .	103
Sandwich Module . . . . .	104
Scanner . . . . .	9, 33, 52, 55, 82, 91, 96, 107, 108, 140
SEAC . . . . .	1
Segmentation . . . . .	116
Selection . . . . .	14
Self . . . . .	26, 28, 100, 104, 119, 134
Sensory . . . . .	136
Sequences . . . . .	5, 36, 53

Set . . . . .	14, 15, 65, 80
Shaft Register . . . . .	122
SHOEBOX. . . . .	34
Sieving Method . . . . .	69
Signals . . . . .	11, 16, 21, 46, 47, 48, 71, 75, 91, 113, 122, 123, 129
Signature . . . . .	71
Significant . . . . .	22
Similarity - Invariant . . . . .	35
Simplification . . . . .	18, 43, 74, 109
Simulate . . . . .	30, 38, 41, 44, 62, 63, 70, 78, 92, 116, 118, 136, 138
Size . . . . .	24, 35, 45, 65, 118
Solar Cells . . . . .	42
Sound . . . . .	5, 34
Space . . . . .	52, 93, 115, 134
Spectographs . . . . .	81
Speech . . . . .	3, 4, 5, 32, 53, 67, 70, 83, 86, 92, 94, 98, 114, 116, 128, 129
Spelling . . . . .	2
Squares . . . . .	6
Statistical . . . . .	31, 90, 115, 138, 139
Standards . . . . .	106
Stenotype . . . . .	127
Stochastic . . . . .	124
Store . . . . .	5, 9, 48, 122
Strokes . . . . .	36, 39
Sum . . . . .	21, 79
Survey . . . . .	27, 32, 33, 40, 99, 101, 108, 126
Switching . . . . .	79
Syllables . . . . .	38, 127
Symbol Transformation . . . . .	136
Synthesis . . . . .	44, 46, 129
System . . . . .	37, 44, 45, 54, 61, 90, 97, 99, 102, 114, 119, 121, 138
Tape . . . . .	42, 105, 135
Technique . . . . .	29, 37, 45, 63, 95, 129

Technology . . . . .	27
Teletype . . . . .	94
Test . . . . .	95, 116, 132
Theory . . . . .	14, 31, 65, 80, 84, 95, 97
Threshold . . . . .	41, 79, 93
Tracking . . . . .	3
Transform . . . . .	128
Transistor . . . . .	8, 25, 89, 138
Translation . . . . .	6, 16, 24
Triangles . . . . .	6
Two-Dimension . . . . .	7, 35, 65, 99, 122
TX-O Computer . . . . .	36, 76
Type Fonts . . . . .	106
Variables . . . . .	6, 79, 96, 124
Variant . . . . .	95
Vector . . . . .	109, 115
Verbal . . . . .	38
Vertical . . . . .	8
Visual . . . . .	6, 23, 66, 77, 99
Voice . . . . .	34, 43, 81, 94
Voltage . . . . .	25, 47
Vowel . . . . .	43, 116, 139
Waveform . . . . .	129
Wiring . . . . .	77
Word . . . . .	2, 5, 86, 104, 114, 117, 130